



LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long lasting and energy efficient lighting. Choose from a wide range of 3w to 4w variations.

Product Features


- Innumerable styles & elegant appearance
- Non - Flickering
- Premium quality power driver with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast aluminium body
- Low maintenance
- All down lights come with premium quality power

Applications

Residences, showrooms, hotels & boutiques etc.


NEW

UGR < 19

Adjustable Angle
0-27°


Hotel Downlight-COB

6w VT-2907

SKU: 1479 - 3000K Warm White 3800157644242
SKU: 1480 - 4000K Day White 3800157644259Cutting Size
Ø55mmSensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 400lm
LED Type: COB-CREE
CRI: >95
PFBeam Angle: 0-27°
Body Type: Aluminium
Color of Fixture:
Dimension: Ø65x82mm
Cutting Size: Ø55mm
Box Qty: 0 Pcs


Hotel Downlight-COB

10w VT-2911

SKU: 1481 - 3000K Warm White 3800157644068
SKU: 1482 - 4000K Day White 3800157644075Cutting Size
Ø75mmSensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 650lm
LED Type: COB-CREE
CRI: >95
PFBeam Angle: 0-27°
Body Type: Aluminium
Color of Fixture:
Dimension: Ø85x96mm
Cutting Size: Ø75mm
Box Qty: 0 Pcs


Hotel Downlight-COB

15w VT-2916

SKU: 1483 - 3000K Warm White 3800157644082
SKU: 1484 - 4000K Day White 3800157644099Cutting Size
Ø95mmSensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 100lm
LED Type: COB-CREE
CRI: >95
PFBeam Angle: 0-27°
Body Type: Aluminium
Color of Fixture:
Dimension: Ø105x113mm
Cutting Size: Ø105mm
Box Qty: 0 Pcs

Hotel Downlight-COB

35w VT-2936

SKU: 1477 - 3000K Warm White 3800157644105
SKU: 1478 - 4000K Day White 3800157644112Cutting Size
Ø150mmSensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 2300lm
LED Type: COB-CREE
CRI: >95
PFBeam Angle: 0-27°
Body Type: Aluminium
Color of Fixture:
Dimension: Ø160x176mm
Cutting Size: Ø150mm
Box Qty: 0 Pcs

NEW



Side Light
3W VT-2903

SKU: 1485 - 3000K Warm White 3800157642675

Sensor Compatible:	Yes	Beam Angle:	30°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180lm	Color of Fixture:	Black
LED Type:	COB-CREE	Dimension:	80x80x25mm
CRI:		Cutting Size:	N/A
PF		Box Qty:	0 Pcs

NEW



Side Light
3W VT-2913

SKU: 1486 - 3000K Warm White 3800157644327

Sensor Compatible:	Yes	Beam Angle:	30°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180lm	Color of Fixture:	White
LED Type:	COB-CREE	Dimension:	90x60x30mm
CRI:		Cutting Size:	N/A
PF		Box Qty:	0 Pcs

NEW



Side Light
3W VT-2943

SKU: 1487 - 3000K Warm White 3800157644334

Sensor Compatible:	Yes	Beam Angle:	30°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180lm	Color of Fixture:	White
LED Type:	COB-CREE	Dimension:	120x120x45mm
CRI:		Cutting Size:	N/A
PF		Box Qty:	0 Pcs

NEW



Side Light
3+6W VT-2953

SKU: 1488 - 3000K Warm White 3800157644341

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180+500lm	Color of Fixture:	White
LED Type:	CREE Chip	Dimension:	300x50x35mm
CRI:		Cutting Size:	N/A
PF		Box Qty:	0 Pcs

NEW




Side Light
3+6W VT-2963

SKU: 1489 - 3000K Warm White 3800157644358

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180+500lm	Color of Fixture:	White
LED Type:	COB-CREE	Dimension:	140x30mm
CRI:		Cutting Size:	N/A
PF		Box Qty:	0 Pcs



120+
LUMENS/WATT
SUPER EFFICIENT



Reflector Series - High Lumen

10W VT-26101


SKU: 1270 - 3000K Warm White 3800157611923
SKU: 1271 - 4000K Day White 3800157611930
SKU: 1272 - 6400K White 3800157611947

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	1200lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø135x71mm
Cutting Size:	Ø120mm
Box Qty:	27 Pcs



120+
LUMENS/WATT
SUPER EFFICIENT



Reflector Series - High Lumen

20W VT-26201


SKU: 1273 - 3000K Warm White 3800157611954
SKU: 1274 - 4000K Day White 3800157611961
SKU: 1275 - 6400K White 3800157611978

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	2400lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø180x83mm
Cutting Size:	Ø167mm
Box Qty:	18 Pcs



120+
LUMENS/WATT
SUPER EFFICIENT



Reflector Series - High Lumen

30W VT-26301


SKU: 1276 - 3000K Warm White 3800157611985
SKU: 1277 - 4000K Day White 3800157611992
SKU: 1278 - 6400K White 3800157612005

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	3600lm
LED Type:	COB
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø220x103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs



120+
LUMENS/WATT
SUPER EFFICIENT




Reflector Series - High Lumen

40W VT-26451

SKU: 1453 - 3000K Warm White 3800157635561
SKU: 1279 - 4500K Day White 3800157612012

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-270V,50/60Hz
Luminous Flux:	4800lm
LED Type:	COB
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø220x103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs



Reflector Series

10W VT-2610

SKU: 1100 - 6000K White 3800230622372

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	730lm
LED Type:	COB
CRI:	>80
PF:	>0.5


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø135x71mm
Cutting Size:	Ø105mm
Box Qty:	27 Pcs

Reflector Series

SKU: 1103 - 6000K White

3800230622402

20W VT-2620



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø182x90mm
Cutting Size:	Ø160mm
Box Qty:	18 Pcs

Zoom Series - Rectangle

SKU: 1306 - 3000K Warm White

3800157619936


SKU: 1307 - 4000K Day White

3800157619943

SKU: 1289 - 6400K White

3800157619646

30W VT-2930



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2450lm
LED Type:	COB
CRI:	>80
PF	>0.9

Beam Angle:	99°
Body Type:	Die Cast Aluminum
Color of Fixture:	White
Shape:	Rectangle
Dimension:	235x146x139mm
Cutting Size:	220 x 132mm
Box Qty:	20 Pcs

Zoom Series - Round

SKU: 1304 - 3000K Warm White

3800157619912


SKU: 1305 - 4500K Day White

3800157619929

SKU: 1288 - 6400K White

3800157619639

33W VT-2933



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2650lm
LED Type:	COB
CRI:	>80
PF	>0.9

Beam Angle:	24°
Body Type:	Die Cast Aluminum
Color of Fixture:	White
Shape:	Round
Dimension:	Ø165x140mm
Cutting Size:	Ø 155
Box Qty:	20 Pcs

Downlight-Moving Head-Square

SKU: 5096 - 4000K Day White

3800157609371

SKU: 5097 - 6400K White

3800157609388

3800157609395

3W VT-1133SQ



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	200lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	60°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	55x55x42mm
Cutting Size:	45 x 45mm
Box Qty:	100 Pcs

Downlight-Fixed Type-Square

SKU: 5110 - 6400K White

3800157609456

3W VT-1123SQ



Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	200lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	60°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	45x45x35mm
Cutting Size:	36 x 36 mm
Box Qty:	100 Pcs




Step Light With Sensor

SKU: 5570 - 4000K Day White

3800157617291

3W VT-8035



Sensor Compatible:	Sensor Included
Voltage/Frequency:	AC:100-240V, 50/60Hz
Luminous Flux:	100lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	45°
Body Type:	Die cast Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	85x85x42mm
Cutting Size:	85x85mm
Box Qty:	100 Pcs




Steplight-Square

SKU: 1284 - 4000K Day White

3800157617307

3W VT-1143



Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	100lm
LED Type:	SMD
CRI:	>80
PF:	>0.5


Beam Angle:	83°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	84x84x43mm
Cutting Size:	72x72mm
Box Qty:	100 Pcs



Steplight-Square

SKU: 1209 - 3000K Warm White
SKU: 1210 - 4200K Day White3800157600255
3800157600262

3W VT-1109



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	120lm
LED Type:	COB
CRI:	>80
PF:	>0.5


Beam Angle:	15°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	80x80x51mm
Cutting Size:	62x62mm
Box Qty:	100 Pcs



Steplight-Round

SKU: 1207 - 3000K Warm White
SKU: 1208 - 4200K Day White3800157600231
3800157600248

3W VT-1109RD



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	120lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	15°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Round
Dimension:	Ø80x51mm
Cutting Size:	Ø62mm
Box Qty:	100 Pcs

NEW


Round Steplight

SKU: 1463 - 3000K Warm White

3800157643610

0.5W VT-1141



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	5lm
LED Type:	SMD
CRI:	>80
PF:	>0.4

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Silver+Black
Shape:	Round
Dimension:	Ø26X82mm
Cutting Size:	Ø25mm
Box Qty:	0 Pcs

NEW




Round Steplight

1W VT-1151

SKU: 1464 - 6500K White

3800157643627



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	50lm
LED Type:	SMD
CRI:	>80
PF	>0.4

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Silver+Black
Shape:	Round
Dimension:	Ø48X82mm
Cutting Size:	Ø43mm
Box Qty:	0 Pcs

NEW



Round Steplight


1W VT-1161-W

SKU: 1467 - 6500K White

3800157643658

SKU: 1465 - 3000K Warm White

3800157643634



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	10lm
LED Type:	SMD
CRI:	>80
PF	>0.4

Beam Angle:	90°
Body Type:	PC+AL
Color of Fixture:	White
Shape:	Round
Dimension:	Ø60X93mm
Cutting Size:	Ø43mm
Box Qty:	0 Pcs

NEW



Round Steplight


1W VT-1161-B

SKU: 1468 - 6500K White

3800157643665

SKU: 1466 - 3000K Warm White

3800157643641



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	10lm
LED Type:	SMD
CRI:	>80
PF	>0.4

Beam Angle:	90°
Body Type:	PC+AL
Color of Fixture:	Black
Shape:	Round
Dimension:	Ø60X93mm
Cutting Size:	Ø43mm
Box Qty:	0 Pcs

NEW



Round Steplight


1W VT-1171-W

SKU: 1471 - 6500K White

3800157643696

SKU: 1469 - 3000K Warm White

3800157643672



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V
Luminous Flux:	10lm
LED Type:	SMD
CRI:	>80
PF	>0.4

Beam Angle:	90°
Body Type:	PC+AL
Color of Fixture:	White
Shape:	Round
Dimension:	Ø60X93mm
Cutting Size:	
Box Qty:	0 Pcs

NEW



Round Steplight


1W VT-1171-B

SKU: 1472 - 6500K White

3800157643702

SKU: 1470 - 3000K Warm White

3800157643689



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V
Luminous Flux:	10lm
LED Type:	SMD
CRI:	>80
PF	>0.4

Beam Angle:	90°
Body Type:	PC+AL
Color of Fixture:	Black
Shape:	Round
Dimension:	Ø60X93mm
Cutting Size:	
Box Qty:	0 Pcs




Step Light-Rectangle-IP65

3W VT-1162-W

SKU: 1327 - 3000K Warm White 3800157620550
SKU: 1326 - 4000K Day White 3800157620543


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs




Step Light-Rectangle-IP65

3W VT-1162-B

SKU: 1329 - 3000K Warm White 3800157620574
SKU: 1328 - 4000K Day White 3800157620567


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Rectangle-IP65

3W VT-1162-G

SKU: 1331 - 3000K Warm White 3800157620598
SKU: 1330 - 4000K Day White 3800157620581


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Round-IP65

2W VT-1142-W

SKU: 1315 - 3000K Warm White 3800157620437
SKU: 1314 - 4000K Day White 3800157620420


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Round-IP65

2W VT-1142-B

SKU: 1317 - 3000K Warm White 3800157620451
SKU: 1316 - 4000K Day White 3800157620444


Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Round-IP65
2W VT-1142-G

SKU: 1319 - 3000K Warm White 3800157620475
SKU: 1318 - 4000K Day White 3800157620468




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65
2W VT-1152-W

SKU: 1321 - 3000K Warm White 3800157620499
SKU: 1320 - 4000K Day White 3800157620482




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs




Step Light-Square-IP65
2W VT-1152-B

SKU: 1323 - 3000K Warm White 3800157620512
SKU: 1322 - 4000K Day White 3800157620505




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65
2W VT-1152-G

SKU: 1325 - 3000K Warm White 3800157620536
SKU: 1324 - 4000K Day White 3800157620529



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light - IP65
3W VT-1172-B

SKU: 1398 - 3000K Warm White 3800157628310
SKU: 1399 - 4000K Day White 3800157628327



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Black
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light - IP65
3W VT-1172-G

SKU: 1400 - 3000K Warm White 3800157628334
SKU: 1401 - 4000K Day White 3800157628341



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light - IP65
3W VT-1172-W

SKU: 1402 - 3000K Warm White 3800157628358
SKU: 1403 - 4000K Day White 3800157628365



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	White
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65
3W VT-1182-B

SKU: 1404 - 3000K Warm White 3800157628372
SKU: 1405 - 4000K Day White 3800157628389



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Black
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65
3W VT-1182-G

SKU: 1406 - 3000K Warm White 3800157628396
SKU: 1407 - 4000K Day White 3800157628402



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65
3W VT-1182-W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs

SKU: 1408 - 3000K Warm White 3800157628419
SKU: 1409 - 4000K Day White 3800157628426



Steplight-Rectangle
6W VT-856-B



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	240lm
LED Type:	SMD
CRI:	>70
PF	>0.6

Beam Angle:	120°
Body Type:	Aluminium
Color of Fixture:	Black
Shape:	Rectangle
Dimension:	210x65x60mm
Cutting Size:	195x46mm
Box Qty:	50 Pcs

SKU: 8348 - 3000K Warm White 3800157633383
SKU: 8349 - 4000K Day White 3800157633390

Steplight-Rectangle
6W VT-856-G



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	240lm
LED Type:	SMD
CRI:	>70
PF	>0.6

Beam Angle:	120°
Body Type:	Aluminium
Color of Fixture:	Grey
Shape:	Rectangle
Dimension:	210x65x60mm
Cutting Size:	195x46mm
Box Qty:	50 Pcs

SKU: 8350 - 3000K Warm White 3800157633406
SKU: 8351 - 4000K Day White 3800157633413

Steplight-Rectangle
6W VT-856-W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	240lm
LED Type:	SMD
CRI:	>70
PF	>0.6

Beam Angle:	120°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Rectangle
Dimension:	210x65x60mm
Cutting Size:	195x46mm
Box Qty:	50 Pcs

SKU: 8352 - 3000K Warm White 3800157633420
SKU: 8353 - 4000K Day White 3800157633437