



LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.

Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or mercury content hence environment friendly
- No Ultraviolet or Infrared rays
- Long lifespan, low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm

Applications

Widely used for domestic and commercial lighting, offices, supermarkets, shops, hotels & similar environment.

T8-Nano Plastic-Rotatable-High Lumen-60cm

9W VT-6085

SKU: 6299 - 3000K Warm White 3800157617345


5
YEAR
WARRANTY

**Dummy Starter
Included**

EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1100lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

120 ±
LUMENS/WATT
SUPER EFFICIENT


On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	125g
Dimension:	27.9x600mm
Box Qty:	25 Pcs



T8-Nano Plastic-Rotatable-60cm

10W VT-6072-R


SKU: 6229 - 3000K Warm White 3800157605212
SKU: 6231 - 6400K White 3800157605236
3
YEAR
WARRANTY

**Dummy Starter
Included**

EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	125g
Dimension:	27.9x600mm
Box Qty:	25 Pcs




T8-Nano Plastic-60cm

10W VT-6072-NR


SKU: 6392 - 3000K Warm White 3800157625296
SKU: 6393 - 4000K Day White 3800157625302
SKU: 6394 - 6400K White 3800157625319
3
YEAR
WARRANTY

**Dummy Starter
Included**

EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	126.4g
Dimension:	27.9x600mm
Box Qty:	25 Pcs




T8-Nano Plastic-90cm

14W VT-9077


SKU: 6272 - 4000K Day White 3800157615419
SKU: 6262 - 6400K White 3800157612128
3
YEAR
WARRANTY

**Dummy Starter
Included**

EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	145.6g
Dimension:	27.9x900mm
Box Qty:	25 Pcs





T8-Nano Plastic-120cm

18w VT-1277

SKU: 6263 - 3000K Warm White 3800157612135
 SKU: 6273 - 4000K Day White 3800157615426
 SKU: 6264 - 6400K White 3800157612142



Dummy Starter
Included



EQ. Watts:	36w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	200g
Dimension:	27.9x1200mm
Box Qty:	25 Pcs


T8-Nano Plastic-150cm

22w VT-1577

SKU: 6265 - 3000K Warm White 3800157612159
 SKU: 6309 - 4000K Day White 3800157617437
 SKU: 6310 - 6400K White 3800157617444



Dummy Starter
Included



EQ. Watts:	58w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2000lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	283.4g
Dimension:	27.9x1500mm
Box Qty:	25 Pcs

T8-Nano Plastic-High Lumen-150cm

22w VT-1585

SKU: 6306 - 3000K Warm White 3800157617406



Dummy Starter
Included



120+ LUMENS/WATT SUPER EFFICIENT



EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3000lm
LED Type:	SMD
CRI:	>80


PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	1000g
Dimension:	27.9x1500mm
Box Qty:	25 Pcs

T8-Nano Plastic-60cm

18w VT-6077

SKU: 6313 - 4000K Day White 3800157618656
 SKU: 6314 - 6400K White 3800157618663



EQ. Watts:	36w
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	2500lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	290g
Dimension:	18.5x549mm
Box Qty:	10 Pcs



120+ LUMENS/WATT SUPER EFFICIENT

T5-Glass Plastic-60cm



8W VT-6005

SKU: 6318 - 4000K Day White 3800157619271
 SKU: 6319 - 6500K White 3800157619288

EQ. Watts:	14w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	120g
Dimension:	18.4x549mm
Box Qty:	25 Pcs



T5-Glass Plastic-120cm



16w VT-1225

SKU: 6320 - 4000K Day White 3800157619295
 SKU: 6321 - 6500K White 3800157619301

EQ. Watts:	28w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1600lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	208g
Dimension:	18.4x1149mm
Box Qty:	25 Pcs



T8-Aluminium Plastic-180cm



40w VT-1840

SKU: 6251 - 4500K Day White 3800157607841
 SKU: 6250 - 6000K White 3800157607834

EQ. Watts:	80w
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	3800lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	120°
Body Type:	Aluminium+PC
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	800g
Dimension:	28x1800mm
Box Qty:	25 Pcs



T8 Bread Tube-120cm



18w VT-1228-B

SKU: 6322 3800157619318

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



T8 Meat Tube-120cm



18w VT-1228-M

SKU: 6323 3800157619325

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs




T8 Vegetable Tube-120cm

18w VT-1228-V

SKU: 6324 3800157619332

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95



PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs





T8 Seafood Tube-120cm

18w VT-1228-S

SKU: 6325 3800157619349

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95



PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs




T8 Plant Tube-120cm

18w VT-1228-P

SKU: 6326 3800157619356

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	860lm
LED Type:	SMD
CRI:	>95



PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



Tube-Batten Fitting

VT-12020



SKU:	6054
Body Type:	Aluminium
Size:	1200mm
EAN:	3800230624666
Box Qty:	20 Pcs

Tube-Batten Fitting

VT-12021



SKU:	6055
Body Type:	Aluminium
Size:	1200x2mm
EAN:	3800230624673
Box Qty:	12 Pcs

Tube-Batten Fitting

VT-15020



SKU:	6056
Body Type:	Aluminium
Size:	1500mm
EAN:	3800230624680
Box Qty:	20 Pcs

Tube-Batten Fitting

VT-15021




SKU:	6057
Body Type:	Aluminium
Size:	1500x2mm
EAN:	3800230624697
Box Qty:	12 Pcs

T5-With Fitting-30cm

4W VT-3033

SKU: 6167 - 4500K Day White 3800230629166





Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	360lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°

Body Type:	Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	140g
Dimension:	300x22x33mm
Box Qty:	50 Pcs

T5-With Fitting-60cm

7W VT-6073

SKU: 6169 - 3000K Warm White 3800230629180





Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	630lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

Body Type:	Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	210g
Dimension:	600x22x33mm
Box Qty:	50 Pcs

T5-With Fitting-120cm

14W VT-1273

SKU: 6172 - 3000K Warm White 3800230629210




Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	1260lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

Body Type:	Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	300g
Dimension:	1200x22x33mm
Box Qty:	50 Pcs

Prismatic Fitting-30cm

10W VT-8013

SKU: 4987 - 3000K Warm White 3800157601955





Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	110°

Body Type:	Aluminium+Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	260g
Dimension:	300x75x25mm
Box Qty:	10 Pcs

Cabinet Fitting

10w VT-8112

SKU: 5068 - 3000K Warm White 3800157606714
 SKU: 5069 - 4500K Day White 3800157606721
 SKU: 5070 - 6000K White 3800157606738




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	110°

Body Type:	Aluminium Body,
On/Off:	Plastic Diffuser
Life span:	>10,000
Gross weight:	20,000 Hours
Dimension:	600g
Box Qty:	579x78x35mm
	12 Pcs

Wall Fitting-60cm

10w VT-8111

SKU: 5071 - 3000K Warm White 3800157606745
 SKU: 5072 - 4500K Day White 3800157606752
 SKU: 5073 - 6000K White 3800157606769




Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.6
Beam Angle:	120°

Body Type:	Aluminium+PC
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	240g
Dimension:	600x32x25mm
Box Qty:	25 Pcs

Wall Fitting-120cm

20w VT-8121

SKU: 5074 - 3000K Warm White 3800157606776
 SKU: 5075 - 4500K Day White 3800157606783
 SKU: 5076 - 6000K White 3800157606790




Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1800lm
LED Type:	SMD
CRI:	>80
PF:	>0.6
Beam Angle:	120°

Body Type:	Aluminium+PC
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	370g
Dimension:	1200x32x25mm
Box Qty:	25 Pcs

Batten Fitting-Linkable


40w VT-80404

SKU: 6389 - 3000K Warm White 3800157625104



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	3200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	110°

Body Type:	AL+PC
On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	780g
Dimension:	1200x75x26mm
Box Qty:	10 Pcs



LED Waterproof Fittings

Introducing our complete Essentials range of IP65-rated waterproof tubes. Built with a tough, air-tight enclosure allowing it to resist jets of water and dust — an essential feature for outdoor lighting.

Product Features

- Easy to install
- IP65, free from water and dirt
- Direct wiring easily accessible when necessary
- Perfect replacement for the whole set of T8 fluorescent lighting fixture
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment.

IP65 RATING **1 LED TUBE INCLUDED**

Waterproof Fitting-Tubes
10w VT-6028


SKU: 6463 - 4000K Day White 3800157639767
SKU: 6464 - 6400K White 3800157639750



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80


PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	0.70 kg
Dimension:	666x68x58mm
Box Qty:	16pcs



Waterproof Fitting-Tubes
2x10w VT-6029


SKU: 6465 - 4000K Day White 3800157639781
SKU: 6466 - 6400K White 3800157639774



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	1 kg
Dimension:	666x96x58mm
Box Qty:	12pcs



IP65 RATING **1 LED TUBE INCLUDED**

Waterproof Fitting-Tubes
18w VT-12028


SKU: 6459 - 4000K Day White 3800157639729
SKU: 6460 - 6400K White 3800157639712



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	1 kg
Dimension:	1276x68x58mm
Box Qty:	16pcs



IP65 RATING **1 LED TUBE INCLUDED**

Waterproof Fitting-Tubes
22w VT-15028


SKU: 6461 - 4000K Day White 3800157639743
SKU: 6462 - 6400K White 3800157639736



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	2000lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	1.2 kg
Dimension:	1576x68x58mm
Box Qty:	16pcs



Waterproof Fitting-Tubes

36W VT-12023


SKU: 6387 - 4000K Day White 3800157625036
SKU: 6399 - 6400K White 3800157626385


 2 LED TUBES INCLUDED


Voltage/Frequency: AC:200-240V,50/60Hz
Luminous Flux: 3400lm
LED Type: SMD
CRI: >80

PF: >0.9
Beam Angle: 120°
Body Type: Plastic+ABS
On/Off: >10,000

Life span: 30,000 Hours
Gross weight: 1.33 kg
Dimension: 1260x112x63mm
Box Qty: 10 Pcs



Waterproof Fitting-Tubes

44W VT-15022


SKU: 6388 - 4000K Day White 3800157625043
SKU: 6400 - 6400K White 3800157626392


 2 LED TUBES INCLUDED


Voltage/Frequency: AC:200-240V,50/60Hz
Luminous Flux: 4000lm
LED Type: SMD
CRI: >80

PF: >0.9
Beam Angle: 120°
Body Type: Plastic+ABS
On/Off: >10,000

Life span: 30,000 Hours
Gross weight: 1.65 kg
Dimension: 1560x112x63mm
Box Qty: 10 Pcs



Waterproof Fitting-G Series

18W VT-6076


SKU: 6283 - 4000K Day White 3800157616478



Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 1440lm
LED Type: SMD
CRI: >70

PF: >0.5
Beam Angle: 120°
Body Type: Plastic
On/Off: >10,000

Life span: 20,000 Hours
Gross weight: 0.60 kg
Dimension: 600x65x58mm
Box Qty: 12 Pcs



Waterproof Fitting-G Series

36W VT-1249


SKU: 6285 - 4000K Day White 3800157616492
SKU: 6284 - 6400K White 3800157616485



Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 2880lm
LED Type: SMD
CRI: >70

PF: >0.9
Beam Angle: 120°
Body Type: Plastic
On/Off: >10,000

Life span: 20,000 Hours
Gross weight: 0.60 kg
Dimension: 1200x65x58mm
Box Qty: 12 Pcs



Waterproof Fitting-G Series

48W VT-1574


SKU: 6287 - 4000K Day White 3800157616515
SKU: 6286 - 6400K White 3800157616508



Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 3840lm
LED Type: SMD
CRI: >70

PF: >0.9
Beam Angle: 120°
Body Type: Plastic
On/Off: >10,000

Life span: 20,000 Hours
Gross weight: 1.1 kg
Dimension: 1500x65x58mm
Box Qty: 12 Pcs



NEW




Waterproof Fitting-S Series
36w VT-1239

SKU: 6469 - 4000K Day White 3800157640992
SKU: 6470 - 6400K White 3800157641005

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3000lm
LED Type:	SMD2835
CRI:	>80

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	
Dimension:	1200x60x35mm
Box Qty:	



NEW




Waterproof Fitting-S Series
48w VT-1549

SKU: 6467 - 4000K Day White 3800157640978
SKU: 6468 - 6400K White 3800157640985

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD2835
CRI:	>80

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	
Dimension:	1500x60x35mm
Box Qty:	



Waterproof-Emergency Kit
36w VT-1250

SKU: 6448 - 4000K Day White 3800157632126
SKU: 6449 - 6400K White 3800157632133




**Waterproof
Emergency Kit**

Charging Time:	24 Hours
Emergency Operation Time:	3 Hours
Emergency Switch on time:	<1 Second

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2880lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	1.9 kg
Dimension:	1200x76x66mm
Box Qty:	12 Pcs



Waterproof-Emergency Kit
48w VT-1550

SKU: 6446 - 4000K Day White 3800157632102
SKU: 6447 - 6500K White 3800157632119




**Waterproof
Emergency Kit**

Charging Time:	24 Hours
Emergency Operation Time:	3 Hours
Emergency Switch on time:	<1 Second

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3920lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	ABS+PC
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	2.35 kg
Dimension:	1500x76x66mm
Box Qty:	12 Pcs





Waterproof Fitting

18w VT-6048


SKU: 6198 - 4500K Day White 3800157603256
SKU: 6199 - 6000K White 3800157603263



Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	1440lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	0.80 kg
Dimension:	600x76x66mm
Box Qty:	12 Pcs



Waterproof Fitting

36w VT-1248


SKU: 6200 - 4500K Day White 3800157603270
SKU: 6201 - 6000K White 3800157603287



Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	2880lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	1.42 kg
Dimension:	1200x76x66mm
Box Qty:	12 Pcs



Waterproof Fitting

48w VT-1548


SKU: 6184 - 4500K Day White 3800157602389
SKU: 6185 - 6000K White 3800157602396



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3920lm
LED Type:	SMD
CRI:	>70

PF:	>0.7
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	1.86 kg
Dimension:	1480x76x66mm
Box Qty:	12 Pcs



120+
LUMENS/WATT
SUPER EFFICIENT

Waterproof Fitting

70w VT-1573

SKU: 6266 - 4000K Day White 3800157612586



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	8400lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+Aluminium
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	2.75 kg
Dimension:	1500x86x70mm
Box Qty:	6 Pcs

