



LED FLOODLIGHTS

V-TAC's all new slimline series are manufactured with cutting-edge components to deliver an exceptional performance. Together with its new sleek design, its diecast aluminum and IP65-rated body makes each unit extremely sturdy and perfect for outdoor applications.

This extensive range of 10w to 300w floodlights is ready to impress in terms of efficiency, as it has powerful illumination of up to 16000 lumens, brought by its IP-protected Samsung LED chip. The auto-cutoff function comes with the PIR series which disables the sensor with a switch.

APPLICATION

Recommended for any outdoor lighting application in residential, commercial, and industrial areas

V-TAC[®]
INNOVATIVE LED LIGHTING





KEY FEATURES

- IP-protected Samsung LED Chips to deliver uncompromised performance
- IP65 Rated: high-quality components used to ensure waterproof/airtight performance
- Modern and ultra-strong enclosure with a minimalistic design, for high-end support and design
- Includes black, white, grey, and PIR series
- Select units inclusive of a 1-metre wire for easy installation

IP PROTECTED BY
SAMSUNG





ONE METER WIRE

5 YEAR WARRANTY


LED FLOODLIGHTS

Slimline-White Body

V-TAC's unbreakable LED floodlights, now with Samsung LED chips for a diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300w watts, in an elegant and ivory white finish.

- Uses IP-protected SMD LED from Samsung
- Diecast body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-W

SKU: 427 | 3000K WARM WHITE
 SKU: 428 | 4000K DAY WHITE
 SKU: 429 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-20-W

SKU: 442 | 3000K WARM WHITE
 SKU: 443 | 4000K DAY WHITE
 SKU: 444 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30-W

SKU: 403 | 3000K WARM WHITE
 SKU: 404 | 4000K DAY WHITE
 SKU: 405 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50-W

SKU: 409 | 3000K WARM WHITE
 SKU: 410 | 4000K DAY WHITE
 SKU: 411 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-100-W


SKU: 415 | 3000K WARM WHITE
 SKU: 416 | 4000K DAY WHITE
 SKU: 417 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-150-W


SKU: 478 | 3000K WARM WHITE
 SKU: 479 | 4000K DAY WHITE
 SKU: 480 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-200-W


SKU: 420 | 4000K DAY WHITE
 SKU: 421 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-300-W

SKU: 486 | 4000K DAY WHITE
 SKU: 487 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



① METER WIRE



LED FLOODLIGHTS

www.v-tac.eu | www.vtacexports.com



ONE METER WIRE

5 YEAR
WARRANTY*


LED FLOODLIGHTS

Slimline-Black Body

V-TAC's unbreakable LED floodlights, now with Samsung LED chips for a diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300w watts, in an elegant and ivory white finish.

- Uses IP-protected SMD LED from Samsung
- Diecast body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-B

SKU: 424 | 3000K WARM WHITE
 SKU: 425 | 4000K DAY WHITE
 SKU: 426 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-20-B

SKU: 439 | 3000K WARM WHITE
 SKU: 440 | 4000K DAY WHITE
 SKU: 441 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30-B

SKU: 400 | 3000K WARM WHITE
 SKU: 401 | 4000K DAY WHITE
 SKU: 402 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50-B

SKU: 406 | 3000K WARM WHITE
 SKU: 407 | 4000K DAY WHITE
 SKU: 408 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-100-B


SKU: 412 | 3000K WARM WHITE
 SKU: 413 | 4000K DAY WHITE
 SKU: 414 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-150-B


SKU: 475 | 3000K WARM WHITE
 SKU: 476 | 4000K DAY WHITE
 SKU: 477 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-200-B


SKU: 418 | 4000K DAY WHITE
 SKU: 419 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-300-B

SKU: 422 | 4000K DAY WHITE
 SKU: 423 | 6400K WHITE


WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



① METER WIRE



LED FLOODLIGHTS



ONE METER WIRE

5 YEAR WARRANTY


LED FLOODLIGHTS

Slimline-Grey Body

V-TAC's unbreakable LED floodlights, now with Samsung LED chips for a diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300w watts, in an elegant and ivory white finish.

- Uses IP-protected SMD LED from Samsung
- Diecast body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-G

SKU: 430 | 3000K WARM WHITE
 SKU: 431 | 4000K DAY WHITE
 SKU: 432 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-20-G

SKU: 445 | 3000K WARM WHITE
 SKU: 446 | 4000K DAY WHITE
 SKU: 447 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30-G

SKU: 454 | 3000K WARM WHITE
 SKU: 455 | 4000K DAY WHITE
 SKU: 456 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50-G

SKU: 463 | 3000K WARM WHITE
 SKU: 464 | 4000K DAY WHITE
 SKU: 465 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-100-G


SKU: 472 | 3000K WARM WHITE
 SKU: 473 | 4000K DAY WHITE
 SKU: 474 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-150-G


SKU: 481 | 3000K WARM WHITE
 SKU: 482 | 4000K DAY WHITE
 SKU: 483 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-200-G


SKU: 484 | 4000K DAY WHITE
 SKU: 485 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-300-G

SKU: 488 | 4000K DAY WHITE
 SKU: 489 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



① METER WIRE



LED FLOODLIGHTS



IP65
RATING



5
YEAR
WARRANTY*


LED FLOODLIGHTS

PIR Sensor White Body

Incorporating security in its function, we have a full range of LED floodlights equipped with PIR sensors, available in 10w to 50w. Now upgraded with Samsung LED for an even better, high-end performance, these LED PIR floodlights are truly a modern take on traditional floodlights. Easily disable the sensor with a switch through its auto-cutoff function. Widely used to for any outdoor application. Available in 10w to 50w, in a sleek white finish.

- **SMD Samsung LED**
- **30,000-hr lifespan**
- **100° Beam Angle**
- **AC:220-240V,50Hz**
- **Die casting Aluminium Body**
- **Auto-cutoff function: disable sensor with a switch**
- **Suitable for facade lighting, lobby area, garages, walkways, parking lots, etc.**


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-10-S-W


SKU: 433 - 3000K WARM WHITE
 SKU: 434 - 4000K DAY WHITE
 SKU: 435 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-20-S-W


SKU: 448 - 3000K WARM WHITE
 SKU: 449 - 4000K DAY WHITE
 SKU: 450 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-30-S-W


SKU: 457 - 3000K WARM WHITE
 SKU: 458 - 4000K DAY WHITE
 SKU: 459 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2550	20 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-50-S-W

SKU: 466 - 3000K WARM WHITE
 SKU: 467 - 4000K DAY WHITE
 SKU: 468 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4250	10 pcs



1 METER WIRE




LED FLOODLIGHTS

PIR Sensor Black Body

Incorporating security in its function, we have a full range of LED floodlights equipped with PIR sensors, available in 10w to 50w. Now upgraded with Samsung LED for an even better, high-end performance, these LED PIR floodlights are truly a modern take on traditional floodlights. Easily disable the sensor with a switch through its auto-cutoff function. Widely used to for any outdoor application. Available in 10w to 50w, in a sleek black finish.

- **SMD Samsung LED**
- **30,000-hr lifespan**
- **100° Beam Angle**
- **AC:220-240V,50Hz**
- **Die casting Aluminium Body**
- **Auto-cutoff function: disable sensor with a switch**
- **Suitable for facade lighting, lobby area, garages, walkways, parking lots, etc.**


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-10-S-B


SKU: 436 - 3000K WARM WHITE
 SKU: 437 - 4000K DAY WHITE
 SKU: 438 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-20-S-B


SKU: 451 - 3000K WARM WHITE
 SKU: 452 - 4000K DAY WHITE
 SKU: 453 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-30-S-B


SKU: 460 - 3000K WARM WHITE
 SKU: 461 - 4000K DAY WHITE
 SKU: 462 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2550	20 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50-S-B

SKU: 469 - 3000K WARM WHITE
 SKU: 470 - 4000K DAY WHITE
 SKU: 471 - 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4250	10 pcs



1 METER WIRE



LED FLOODLIGHTS

Rechargeable Floodlight

Strong, reliable portable lamp – V-TAC's new compact and rechargeable LED floodlights can easily be recharged through its micro socket & is built with USB output port making it perfect for home projects, garages, warehouses, basements, gardens, workshops, car repair shops, parking lots, camping, fishing, hiking, and more.


- Rechargeable
- No Lead or Mercury content
- Life Hours of 30,000 Hours
- LED provided by Samsung
- IP Rating - IP44
- AC: 100-240V

BATTERY: 3.7V Li-Ion 3600mAh

VT-10-R

SKU:503 | 4000K DAY WHITE

WATTS	LUMENS	BOX
10w	700	20 pcs




BATTERY: 3.7V Li-Ion 3600mAh

VT-11-R

SKU:502 | 4000K DAY WHITE

WATTS	LUMENS	BOX
10w	700	20 pcs





BATTERY: 3.7V Li-Ion 7200mAh

VT-20-R

SKU:504 | 6400K WHITE

WATTS	LUMENS	BOX
20w	1400	20 pcs





LED FLOODLIGHTS

Sports Light





The new LED Sports Light with Samsung LED offers a range of distributions and up to 67500 lumens, offering excellent energy efficiency, low maintenance, and an unbreakable, strong design that can eliminate chances of breaking at ball strikes compared to traditional fluorescent and HID options.

- Using **MEAN WELL** driver
- **No Lead or Mercury** content
- **Life Hours of 30,000 Hours**
- **LED provided by Samsung**
- **Saves 80% energy**
- **IP65 Rating**

VT-500D

SKU: 490 | 5000K WHITE




WATTS	LUMENS	BEAM ANGLE	BOX QTY.
500w	67500	45°	1 pcs



VT-501D

SKU: 493 | 5000K WHITE

WATTS	LUMENS	BEAM ANGLE	BOX QTY.
500w	67500	110°	1 pcs





LED FLOODLIGHTS

LED Super Pro Floodlights



Available in 250W, 500W and 1000W, our heavy-duty IP66 LED Floodlights make a good choice for outdoor applications that need intensive and bright lighting. Never worry about efficiency — these floodlights are equipped with highly acclaimed LEDs provided by Samsung and Mean Well drivers for energy saving and temperature dissipation excellence.

- AC: 100-277V
- IP66 Rating and strong die cast aluminum body for durability
- 50,000-hr lifespan
- 60° & 120° Beam Angle (Rotatable)
- CRI: >70
- PF: > 0.9

BEAM ANGLE 120°

VT-253D


SKU: 494 | 4000K DAY WHITE
SKU: 501 | 6000K WHITE

WATTS	LUMENS	BOX	WEIGHT
250w	31250	1 pcs	8KG

BEAM ANGLE 60°

VT-252D

SKU: 495 | 4000K DAY WHITE
SKU: 500 | 6000K WHITE



BEAM ANGLE 120°

VT-503D


SKU: 496 | 4000K DAY WHITE

WATTS	LUMENS	BOX	WEIGHT
500w	62500	1 pcs	20.5KG

BEAM ANGLE 60°

VT-502D

SKU: 497 | 4000K DAY WHITE



BEAM ANGLE 120°

VT-1003D

SKU: 498 | 4000K DAY WHITE

WATTS	LUMENS	BOX	WEIGHT
1000w	125000	1 pcs	30.8KG

BEAM ANGLE 60°

VT-1002D

SKU: 499 | 4000K DAY WHITE

