

V-TAC's LED Bulkhead range is inclusive of IP65-rated 2D bulkheads made of state-of-the-art polycarbonate resins for a premium water and dustproof surface-mounted luminaire.

Each model has powerful combinations of two useful features: the emergency battery backup and the microwave sensor with 120'D detection angle. Together with the new elegant designs, this luminaire's highlight is its competitive outdoor effectiveness in efficiency and security.

#### APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.







## KEY FEATURES

- Four-options available: 3-in-1 2D Bulkhead with Emergency Battery Back-up &
  Microwave Sensor, 2D Bulkhead with Emergency Battery Back-up only, 2D
  Bulkhead with Microwave Sensor only, and stand-alone 2D Bulkhead with
  5-years warranty
- Built-in power eliminates the need for an external power supply
- IP65 and strong PC covers for durability
- 3-hour Emergency Operation Time
- Microwave sensors: up to 10m detection
- upto 30,000hr lifespan
- Fully compatible with daylight sensors
- Equipped with a green LED charging indicator
- Suitable for open areas constantly exposed to dust and moisture like parking lots, corridors, airports, and malls.





Emergency Battery Backup



#### 2D BULKHEAD











# LED DOME LIGHTS

#### 2D Bulkhead

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

- AC:200-240V,50/60Hz
- PC Body type
- **SMD LED Type**
- 20,000 hrs Lifespan


- AC:200-240V,50/60Hz
- PC Body type
- **SMD LED Type**
- 20,000 hrs Lifespan






MODEL	WATTS	LUMENS	BOX QTY.
VT-08	8w	720	10 pcs

SKU: 815 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-15	15w	1400	10 pcs

SKU: 801 | 4000K DAY WHITE SKU: 802 | 6400K WHITE



# 2D Bulkhead with Emergency Battery

Emergency Battery Backup

These IP65 LED bulkheads are equipped with Ni-Cad batteries that automatically charges while in use. These fixtures can operate up to three (3) hrs on emergency situations.

- AC:200-240V,50/60Hz
- >1.2 Watts Emergency Standby Watts
- 60mA Battery Charging Current
- 200mA Battery Discharging Current
- Ni-CD AA, 7.2V I.0Ah Battery Type

- Green LED Charging indicate
- Including battery protection circuit & inhibiting mode
- PC Body type
- >3 hrs Emergency Operation time
- SMD LED Type
- 30,000 hrs Lifespan




MODEL	WATTS	LUMENS	BOX QTY.
VT-11	10w	720	10 pcs

SKU: 816 | 4000K DAY WHITE



VT-17	17w	1400	10 pcs
MODEL	WATTS	LUMENS	BOX QTY.

SKU: 806 | 4000K DAY WHITE







#### 2D Bulkhead with Sensor




This range of LED bulkheads are recommended for purposes of increasing security in garages, walkways, and parking areas. With competitive detection range and dimmable functions, these bulkheads exhibit exceptional performance in outdoor security lighting.


- AC:200-240V.50/60Hz
- 120° / 360° Detection Angle
- 3m, 5m, 8m, 10m (optional) Detection Distance
- Max DI0Mx4M Detection Range
- 10S, Imin, 5min, 10min customized Hold Time
- Day, IOLux, 30Lux, 50Lux optional Day light Sensor
- Yes, 0, 10%, 20%, 30% optional Dimmable Function
- 0.5~3m/s Detection Motion Speed
- PC Body type
- >3 hrs Emergency Operation time
- **SMD LED Type**
- 30,000 hrs Lifespan



VT-09				0.10.010		100011 2711 111112
MODEL	WATTS	LUMENS	BOX OTY.	SKU: 818	ı	4000K DAY WHITE




MODEL	WATTS	LUMENS	BOX QTY.	SKU: 803	3000K WARM WHITE
VT-16	15w	1400	10 pcs	SKU: 804	4000K DAY WHITE
V 1 10	1300	1400	10 pcs	SKU: 805	6400K WHITE



VT-22	15w	1450l	DOX Q11.
MODEL	WATTS	LUMENS	BOX QTY.

SKU:819 | 4000K DAY WHITE















# 2D Bulkhead with Emergency Battery Backup and Sensor




Our 3-in-I LED bulkhead range is equipped with the complete package for a remarkable and reliable indoor/outdoor emergency and security lighting. With reliable Ni-Cad emergency battery back up, advanced microwave sensor, and optional dimmable functions, this range has impressive lighting abilities to make outdoor locations of residential, business, and industrial areas safer and easier to navigate.

- AC:200-240V,50/60Hz
- >I.2 Watts Emergency Standby Watts
- 60mA Battery Charging Current
- 200mA Battery Discharging Current
- Ni-CD AA, 7.2V I.0Ah Battery Type
- Green LED Charging indicate
- Including battery protection circuit & inhibiting mode
- I 20° / 360° Detection Angle


- Yes, 0, 10%, 20%, 30% optional Dimmable Function
- 0.5~3m/s Detection Motion Speed
- PC Body type
- >3 hrs Emergency Operation time
- SMD LED Type
- 3m, 5m, 8m, 10m (optional) Detection Distance
  - 30,000 hrs Lifespan



VT-12	10	720	10 ncs		
MODEL	WATTS	LUMENS	BOX QTY.	SKU: 817	4000K DAY WHITE



	1400	 SKU: 812   4000K DAY WHIT	



NEW

2D BULKHEAD











# SLIM DOMELIGHT

A new addition to our Bulkhead Lights series, V-TAC's new Slim IP65 LED bulkheads are re-designed with a sleeker, more compact built for a modern look - perfect lighting for outdoor areas in residential, business, and


## Slim Domelight

- AC:220-240V,50/60Hz
- II0° Beam Angle
- SMD LED chip type
- Body Material PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65



VT-12S			
MODEL	WATTS	LUMENS	BOX QTY.

SKU: 820 | 4000K DAY WHITE








## Slim Domelight with Emergency Backup

- AC:220-240V,50/60Hz
- I I 0° Beam Angle
- SMD LED chip type
- Body Material PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V, I.0Ah
- Battery Charging Current 60mA
- Battery Discharge Current 200mA



# Emergency Battery Backup

				SKU: 822   4000K DAY WHITE	=
VT-12SE	14w	1440	10 pcs		



### Slim Domelight with Sensor

- AC:220-240V,50/60Hz
- I I 0° Beam Angle
- SMD LED chip type
- Body Material PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65

- Microwave Sensor
- 3-6m detection distance
- I0mx6m detection range
- 360°Ceiling/I20°Wall Mounted
- Detection Motion Speed 0.5-3m/s
- Hold Time 30s, 40s, 50s customized
- Daylight sensor -Day, 2lux, 10lux, 50lux optional
- Dimmable Yes, 0, 10%,20% optional
- Manual Override by dial switch









# MODEL WATTS LUMENS BOX QTY. SKU: 821 | 4000K DAY WHITE VT-12SS 12w 1440 10 pcs

# Slim Domelight with Emergency+Sensor


- AC:220-240V,50/60Hz
- II0° Beam Angle
- SMD LED chip type
- Body Material PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V, I.0Ah

- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- 0.5-3m/s detection motion speed
- 30s, 40s, 50s customized (time delay)
- Daylight sensor -Day, 2lux, 10lux, 50lux optional
- Dimmable Yes, 0, 10%,20% optional
- Manual Override



Battery Backup

O
Microwave Sensor



MODEL	WATTS	LUMENS	BOX QTY.	SKU: 823   4000K DAY WHITE	Ξ
VT-12SES	14w	1440	10 pcs		