



LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These compact and easy to install lights make a perfect replacement for traditional dome lights.

Product Features

- Non - flickering
- No uv radiation
- Easy installation
- Premium quality LED chip
- Premium quality power driver
- Instant start 0-100% in 0.01 seconds
- Extreme weather toleration (-20 to + 45 degrees centigrade)

Applications

Mostly used in parking lots, passage's in big areas, exterior walls of prestigious buildings for ambience, airports, ports and malls.

NEW



SMART SPEAKER





 Bluetooth™

CCT AND DIMMING
VIA SMARTPHONE APP
AS WELL AS REMOTE

Smart Domelight-Speaker-CCT Changeable


36w VT-5500

SKU:1490- RGB+3IN1

3800157645386

Sensor Compatible:	N/A
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3400lm
IP Rating:	IP20
CRI:	>80
PF:	

Beam Angle:	180°
Color of Fixture:	White
Body Type:	
Shape:	Round
Dimension:	Ø500x65mm
Box Qty:	0



Domelight-Remote Control-CCT Changeable

60w VT-8555


SKU:1455- 3IN1

3800157637701




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø555x75mm
Box Qty:	6 Pcs



COLOR
CHANGING
WITH REMOTE

NEW




Domelight-Remote Control-CCT Changeable

40w VT-8401

SKU:1474- 3IN1

3800157643559



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PMMA+Metal
Shape:	Round
Dimension:	D:400mm
Box Qty:	1 Pcs




COLOR
CHANGING
WITH REMOTE

Domelight-Remote Control-CCT Changeable

65w VT-8501

SKU:1473- 3IN1

3800157643542




Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PMMA+Metal
Shape:	Round
Dimension:	D:500mm
Box Qty:	1 Pcs



COLOR
CHANGING
WITH REMOTE

NEW




Domelight-Remote Control-CCT Changeable

40w VT-8402

SKU:1476- 3IN1

3800157643573



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	2200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PMMA+Metal
Shape:	Round
Dimension:	D:400mm
Box Qty:	1 Pcs




COLOR
CHANGING
WITH REMOTE

Domelight-Remote Control-CCT Changeable

65w VT-8502

SKU:1475- 3IN1

3800157643566



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PMMA+Metal
Shape:	Round
Dimension:	D:500mm
Box Qty:	1 Pcs



COLOR
CHANGING
WITH REMOTE


NEW


Domelight-Remote Control-CCT Changeable

40w VT-8403

SKU:1460- 3IN1

3800157643580



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PMMA+Metal
Shape:	Round
Dimension:	D:400mm
Box Qty:	1 Pcs


DIMMABLE


**COLOR
CHANGING
WITH REMOTE**

Domelight-Remote Control-CCT Changeable

65w VT-8503

SKU:1461- 3IN1

3800157643597



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6


Beam Angle:	180°
Color of Fixture:	White
Body Type:	PMMA+Metal
Shape:	Round
Dimension:	D:500mm
Box Qty:	1 Pcs


DIMMABLE

**COLOR
CHANGING
WITH REMOTE**



COLOR
CHANGING
WITH REMOTE



Domelight-Remote Control-CCT Changeable

65w VT-8504

SKU:1462-3IN1

3800157643603

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PMMA+Metal
Shape:	Round
Dimension:	D:500mm
Box Qty:	1 Pcs

Ceiling Lights - Round


14w VT-8073RD

SKU: 1428 - 3000K Warm White 3800157633147
SKU: 1429 - 4000K Day White 3800157633154
SKU: 1430 - 6400K White 3800157633161



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1000lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	257x65mm
Box Qty:	20 Pcs



Ceiling Lights - Round


20w VT-8074RD

SKU: 1431 - 3000K Warm White 3800157633178
SKU: 1432 - 4000K Day White 3800157633185
SKU: 1433 - 6400K White 3800157633192



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	290x65mm
Box Qty:	10 Pcs



Ceiling Lights - Square


20w VT-8074SQ

SKU: 1434 - 3000K Warm White 3800157633208
 SKU: 1435 - 4000K Day White 3800157633215
 SKU: 1436 - 6400K White 3800157633222



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Square
Dimension:	280x280x60mm
Box Qty:	10 Pcs



Ceiling Lights - Round


24w VT-8075RD

SKU: 1437 - 3000K Warm White 3800157633239
 SKU: 1438 - 4000K Day White 3800157633246
 SKU: 1439 - 6400K White 3800157633253



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	340x65mm
Box Qty:	10 Pcs



Ceiling Lights - Square


32w VT-8076SQ

SKU: 1443 - 3000K Warm White 3800157633291
 SKU: 1444 - 4000K Day White 3800157633307
 SKU: 1445 - 6400K White 3800157633314



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2600lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Square
Dimension:	330x330x65mm
Box Qty:	10 Pcs



Ceiling Lights - Round


32w VT-8076RD

SKU: 1440 - 3000K Warm White 3800157633260
 SKU: 1441 - 4000K Day White 3800157633277
 SKU: 1442 - 6400K White 3800157633284



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø390x65mm
Box Qty:	10 Pcs



Ceiling Lights - Square

15W VT-8033SQ


SKU: 1390 - 3000K Warm White 3800157626477
 SKU: 5567 - 4000K Day White 3800157610360
 SKU: 1391 - 6400K White 3800157626484

TRIMLESS
 Luxurious Finish
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1250lm
IP Rating:	IP44
CRI:	>80
PF:	>0.6

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Square
Dimension:	200x200x47.5
Box Qty:	20 Pcs



Ceiling Lights - Round

15W VT-8033RD

SKU: 1388 - 3000K Warm White 3800157626453
 SKU: 5566 - 4000K Day White 3800157610353
 SKU: 1389 - 6400K White 3800157626460

TRIMLESS
 Luxurious Finish
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1250lm
IP Rating:	IP44
CRI:	>80
PF:	>0.6

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø200x47.5mm
Box Qty:	20 Pcs



Ceiling Lights - Square

25W VT-8066SQ


SKU: 1395 - 3000K Warm White 3800157628280
 SKU: 1396 - 4200K Day White 3800157628297
 SKU: 1397 - 6500K White 3800157628303

TRIMLESS
 Luxurious Finish
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	2000lm
IP Rating:	IP44
CRI:	>80
PF:	>0.9

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Square
Dimension:	300x300x50mm
Box Qty:	10 Pcs



Ceiling Lights - Round

25W VT-8066RD


SKU: 1392 - 3000K Warm White 3800157628259
 SKU: 1393 - 4200K Day White 3800157628266
 SKU: 1394 - 6500K White 3800157628273

TRIMLESS
 Luxurious Finish
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	2000lm
IP Rating:	IP44
CRI:	>80
PF:	>0.9


Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø300x50mm
Box Qty:	10 Pcs



Dome Series - Rectangle Oval


8w VT-8038-B

SKU: 1308 - 3000K Warm White 3800157620260
 SKU: 1309 - 4500K Day White 3800157620277
 SKU: 1310 - 6000K White 3800157620284

 **IP54**
RATING


Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	PC
Shape:	Rectangle
Dimension:	190x100x55mm
Box Qty:	20 Pcs



Dome Series - Rectangle Oval


8w VT-8038-W

SKU: 1311 - 3000K Warm White 3800157620291
 SKU: 1312 - 4000K Day White 3800157620307
 SKU: 1313 - 6000K White 3800157620314

 **IP54**
RATING


Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	PC
Shape:	Rectangle
Dimension:	190x100x55mm
Box Qty:	20 Pcs



Bling Star


8w VT-8061

SKU: 1370 - 3000K Warm White 3800157626262
 SKU: 1371 - 4000K Day White 3800157626279
 SKU: 1372 - 6400K White 3800157626286



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	560lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø215x78mm
Box Qty:	20 Pcs



Bling Star


12w VT-8062

SKU: 1373 - 3000K Warm White 3800157626293
 SKU: 1374 - 4000K Day White 3800157626309
 SKU: 1375 - 6400K White 3800157626316



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	840lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø260x92mm
Box Qty:	10 Pcs



Bling Star


18w VT-8063

SKU: 1376 - 3000K Warm White 3800157626323
 SKU: 1377 - 4000K Day White 3800157626330
 SKU: 1378 - 6400K White 3800157626347



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1260lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø290x92mm
Box Qty:	10 Pcs



Bling Star

24w VT-8064

SKU: 1379 - 3000K Warm White 3800157626354
 SKU: 1380 - 4000K Day White 3800157626361
 SKU: 1381 - 6400K White 3800157626378



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1680lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø330x102mm
Box Qty:	10 Pcs



Ceiling Lights - Round


12w VT-8031

SKU: 1414 - 3000K Warm White 3800157630092
 SKU: 5563 - 4500K Day White 3800157610322
 SKU: 5562 - 6500K White 3800157610315



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Metal+PMMA
Shape:	Round
Dimension:	Ø250x80mm
Box Qty:	16 Pcs



Ceiling Lights - Round


24w VT-8032

SKU: 1415 - 3000K Warm White 3800157630108
 SKU: 5565 - 4500K Day White 3800157610346
 SKU: 5564 - 6500K White 3800157610339



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1700lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Metal+PMMA
Shape:	Round
Dimension:	Ø320x95mm
Box Qty:	10 Pcs



Dome Series - Oval


8w VT-8014-OV-B

SKU: 1267 - 3000K Warm White 3800157611893
 SKU: 1266 - 4000K Day White 3800157611886
 SKU: 1268 - 6400K White 3800157611909



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Oval
Box Qty:	Ø126x76mm



Dome Series - Oval


8w VT-8014-OV-W

SKU: 1264 - 3000K Warm White 3800157611862
 SKU: 1263 - 4500K Day White 3800157611855
 SKU: 1265 - 6400K White 3800157611879



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Oval
Box Qty:	Ø126x76mm



Dome Series - Oval


12w VT-8016-B

SKU: 5056 - 4500K Day White 3800157603980



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Oval
Box Qty:	Ø245x96mm



Dome Series - Oval


12w VT-8016-W

SKU: 5053 - 6400K White 3800157603324



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Oval
Box Qty:	Ø245x96mm



Dome Series - Round


8W VT-8014-RD-W

SKU: 4999 - 3000K Warm White 3800157602556
 SKU: 1259 - 4500K Day White 3800157611817
 SKU: 4997 - 6400K White 3800157602259



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Round
Box Qty:	Ø180x82mm



Dome Series - Round


8W VT-8014-RD-B

SKU: 1261 - 3000K Warm White 3800157611831
 SKU: 1260 - 4000K Day White 3800157611824
 SKU: 1262 - 6000K White 3800157611848



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Round
Box Qty:	Ø180x82mm



Dome Series - Oval


12W VT-8015-B

SKU: 1349 - 3000K Warm White 3800157624046
 SKU: 5052 - 4000K Day White 3800157603317
 SKU: 5051 - 6400K White 3800157603300



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Round
Box Qty:	Ø220x105mm



Dome Series - Round


12W VT-8015-W

SKU: 4998 - 3000K Warm White 3800157602549
 SKU: 5050 - 4500K Day White 3800157603294



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Round
Box Qty:	Ø220x105mm



Dome Series - Oval


12w VT-8010-B

SKU: 1350 - 3000K Warm White 3800157624053
 SKU: 4973 - 4500K Day White 3800230629050
 SKU: 1269 - 6400K White 3800157611916



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Oval
Box Qty:	Ø242x96mm



Dome Series - Oval


12w VT-8010-W

SKU: 1351 - 3000K Warm White 3800157624060
 SKU: 1353 - 6000K White 3800157624084



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>80
PF:	>0.9


Beam Angle:	110°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø242x96mm
Box Qty:	10 Pcs



Dome Sensor Series

VT-8002C

SKU: 4966 3800230625816



Sensor Type:	Microwave
Color:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max. 60W

Detection Distance:	1-8m(radius) adjustable
Body Type:	PC
IP Rating:	IP44
Dimension:	Ø296x96mm
Time Delay:	Min. 10sec±3sec,
Box Qty:	Max. 12min±1min



Dome Sensor Series

16w VT-8001C


SKU: 1281 - 3000K Warm White 3800157612678
 SKU: 1282 - 6000K White 3800230625809
 3800157612685



Built In LED


Sensor Type:	Microwave
Color:	White
Detection Range:	360°
Voltage:	AC:200-240V,50/60Hz
Rated Load:	16w
Watts:	16w

Detection Distance:	1-8m(radius) adjustable
Body Type:	PC
IP Rating:	IP54
Dimension:	Ø296 x 96mm
Time Delay:	Min. 10 sec to 12 min
Box Qty:	5 Pcs



Dome Sensor Series
12w VT-8017

SKU: 5057 - 3000K Warm White 3800157605250
SKU: 5058 - 4000K Day White 3800157605267
SKU: 5059 - 6400K White 3800157605274



Sensor Type:	PIR
Color:	White
Detection Range:	360°
Voltage:	AC:110-240V,50/60Hz
Rated Load:	12W(24PCS LED)
Watts:	12w

Detection Distance:	Max. 6m(<24°C)
Body Type:	Plastic CLAD Aluminium
IP Rating:	IP20
Dimension:	Ø290x60mm
Time Delay:	Min. 10sec±3sec,
Box Qty:	Max. 12min±1min

