



Italian & European Sockets and Adapters

Extensive variety of electrical accessories to power your devices with Italian & European socket and adapters made from high-quality, modern components from V-TAC. Includes cable reels and sockets of different types and lengths, extension cords, travel adapters/converters, grounded counterparts, and more.

- 3/4/5/6/8-way sockets - sockets with switches and/or USB ports also available
- Includes sockets for different socket types compatible in Italy and more European countries
- 2/3/4 Outlet, Universal Travel Adapters available for flexibility of use
- Earthing variants available for select socket types

10M
Wire



vt
SKU: 8781 3800157643528
CABLE REEL WITH 4 SOCKET

Wire Length:	10M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	20X27X6.5mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	0
Box Qty:	5 pcs

25M
Wire



vt
SKU: 8782 3800157643535
CABLE REEL WITH 4 SOCKET

Wire Length:	25M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	24X13X33mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	0
Box Qty:	1 pcs

3M
Wire



vt
SKU: 8778 3800157643498
Extension Cord

Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	250x200x150mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

5M
Wire



vt
SKU: 8779 3800157643504
Extension Cord

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	200X160X90mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

10M
Wire



vt
SKU: 8780 3800157643511
Extension Cord

Wire Length:	10M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	200x110x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	15 pcs

1.4M
Wire



vt
SKU: 8799 3800157645669
3WAYS SOCKET WITH
USB(3G1.5MM2 X1.4M)

Wire Length:	1.4M
Input Power:	230V
Body Type:	PC
Dimension:	130X138.30x42mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	0
Box Qty:	

1.4M
Wire



vt
SKU: 8800 3800157645676
4WAYS SOCKET WITH
USB(3G1.5MM2 X1.4M)

Wire Length:	1.4M
Input Power:	230V
Body Type:	PC
Dimension:	77X77X82.8mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	0
Box Qty:	

1.5M
Wire



vt
SKU: 8770 3800157643412
4 HOLES SOCKET
WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

1.5M
Wire



vt
SKU: 8771 3800157643429
4 HOLES SOCKET
WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	Black
Box Qty:	40 pcs

1.5M
Wire



vt
SKU: 8772 3800157643436
8 HOLES SOCKET
WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	186x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

1.5M
Wire



vt
SKU: 8773 3800157643443
8 HOLES SOCKET
WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	186x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	Black
Box Qty:	40 pcs

1.5M
Wire

vt
SKU: 8774 3800157643450
WITH SWITCH 3WAYS SOCKET
WITH 2USB

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

5M
Wire



vt
SKU: 8775 3800157643467
WITH SWITCH 3WAYS SOCKET
WITH 2USB

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	20 pcs

1.5M
Wire



vt
SKU: 8776 3800157643474
WITH SWITCH 3WAYS SOCKET
WITH 2USB

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	Black
Box Qty:	40 pcs

5M
Wire

vt
SKU: 8777 3800157643481
WITH SWITCH 3WAYS SOCKET
WITH 2USB

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	Black
Box Qty:	20 pcs

1.5M
Wire



vt
SKU: 8754 3800157643252
3 WAYS SOCKET

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	170x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

3M
Wire



vt
SKU: 8755 3800157643269
3 WAYS SOCKET

Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	170x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

1.5M
Wire



vt
SKU: 8756 3800157643276
4 WAYS SOCKET

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

3M
Wire



vt
SKU: 8757 3800157643283
4 WAYS SOCKET

Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

1.5M
Wire



vt
SKU: 8758 3800157643290
5 WAYS SOCKET

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

3M
Wire



vt
SKU: 8759 3800157643306
5 WAYS SOCKET

Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

1.5M
Wire



vt
SKU: 8760 3800157643313
6 WAYS SOCKET

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	182x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

3M
Wire



vt
SKU: 8761 3800157643320
6 WAYS SOCKET

Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	182x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

1.5M
Wire



vt
SKU: 8762 3800157643337
3WAYS SOCKET
WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

5M
Wire

vt
SKU: 8763 3800157643344
3WAYS SOCKET
WITH SWITCH

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	20 pcs

1.5M
Wire

vt
SKU: 8764 3800157643351
4WAYS SOCKET
WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

5M
Wire

vt
SKU: 8765 3800157643368
4WAYS SOCKET
WITH SWITCH

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	20 pcs

1.5M
Wire

vt
SKU: 8766 3800157643375
5WAYS SOCKET
WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	182x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

5M
Wire

vt
SKU: 8767 3800157643382
5WAYS SOCKET
WITH SWITCH

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	182x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	20 pcs

1.5M
Wire

vt
SKU: 8768 3800157643399
6WAYS SOCKET
WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	186x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

5M
Wire

vt
SKU: 8769 3800157643405
6WAYS SOCKET
WITH SWITCH

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	186x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	20 pcs

vt
SKU: 8783 3800157643986
2 WAYS ADAPTER WITH
EARTHING CONTACT



Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	98x46x74.6mm
Input Current:	16A
Output Current:	2x16A
Rated Load:	2300W
Box Qty:	100 pcs



vt

SKU: 8784 3800157643993

ADAPTER WITH
2 EURO-SOCKET

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	93.1x48x75.3mm
Input Current:	16A
Output Current:	16A+2x2.5A
Rated Load	3680W
Box Qty:	100 pcs



vt

SKU: 8785 3800157644006

4 WAYS ADAPTER WITH
EARTHING CONTACT
2

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	91.2x49x78.1mm
Input Current:	16A
Output Current:	4x2.5A
Rated Load	3680W
Box Qty:	100 pcs



vt

SKU: 8786 3800157644013

2 WAYS ADAPTER
WITH EARTHING CONTACT

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	87.5x45.8x99.5mm
Input Current:	16A
Output Current:	3x16A
Rated Load	3680W
Box Qty:	100 pcs



vt

SKU: 8787 3800157644020

3 WAYS ADAPTER WITH
EARTHING CONTACT

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	92.8x72.4x86.1mm
Input Current:	16A
Output Current:	3x16A
Rated Load	3680W
Box Qty:	100 pcs



vt

SKU: 8788 3800157644037

3 OUTLET POWER
ADAPTER WITH EARTH
CONTACT AND SWITCH

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	93.1x69.7x76.5mm
Input Current:	16A
Output Current:	16A+2x2.5A
Rated Load	3680W
Box Qty:	100 pcs



vt

SKU: 8789 3800157644044

3 OUTLET POWER
ADAPTER WITH
EARTH CONTACT

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	133.6x49.5x76.9mm
Input Current:	16A
Output Current:	3x16A
Rated Load	3680W
Box Qty:	100 pcs



vt

SKU: 8790 3800157644051

3 OUTLET POWER
ADAPTER

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	87.5x84.98x59.4mm
Input Current:	16A
Output Current:	3x16A
Rated Load	3680W
Box Qty:	100 pcs



vt

SKU: 8801 3800157645683

2 OUTLET ADAPTER 2.5A

Input Power:	230V
Body Type:	PP
Dimension:	44X39X61mm
Input Current:	16A
Output Current:	5A
Rated Load	1100W
Box Qty:	



vt
SKU: 8802 3800157645690
3 OUTLET ADAPTER 2.5A

Input Power:	230V
Body Type:	PP
Dimension:	65x47x72mm
Input Current:	16A
Output Current:	7.5A
Rated Load	1700W
Box Qty:	



vt
SKU: 8804 3800157645713
ADAPTER WITH 2 SOCKET
2.5A,1 SOCKET 16A WITH
EARTHING CONTACT 16A

Input Power:	230V
Body Type:	PP
Dimension:	92x47.5x75mm
Input Current:	16A
Output Current:	16A
Rated Load	3500W
Box Qty:	



vt
SKU: 8805 3800157645720
2 OUTLET ADAPTER 16A
WITH EARTHING
CONTACT 16A

Input Power:	230V
Body Type:	PP
Dimension:	92x50x75mm
Input Current:	16A
Output Current:	16A
Rated Load	3680W
Box Qty:	



vt
SKU: 8803 3800157645706
4 OUTLET ADAPTER 2.5A

Input Power:	230V
Body Type:	PP
Dimension:	83x47x72mm
Input Current:	16A
Output Current:	10A
Rated Load	2300W
Box Qty:	



vt
SKU: 8806 3800157645737
ADAPTER WITH 2 SOCKET 2.5A,1
SOCKET 16A WITH SWITCH &
EARTHING CONTACT 16A

Input Power:	230V
Body Type:	PP
Dimension:	95x70x74mm
Input Current:	16A
Output Current:	16A
Rated Load	3500W
Box Qty:	



vt
SKU: 8795 3800157644303
ADAPTER WITH EARTHING
CONTACT & CHARGING

Input Power:	AC:110-230V,50/60Hz
Body Type:	0
Dimension:	107x54.2x74.2mm
Input Current:	16A
Output Current:	16A+2.1A
Rated Load	3680W
Box Qty:	60 pcs

vt
SKU: 8796 3800157644310
ADAPTER WITH EARTHING
CONTACT & CHARGING

Input Power:	AC:110-230V,50/60Hz
Body Type:	0
Dimension:	107x54.2x74.2mm
Input Current:	16A
Output Current:	16A+2.1A
Rated Load	3680W
Box Qty:	60 pcs

vt
SKU: 8791 3800157644266
USB TRAVEL ADAPTOR

Input Power:	AC:100-230V,50/60Hz
Body Type:	ABS
Dimension:	27x47x70mm
Input Current:	0.25A
Output Current:	2A
Rated Load	10W
Box Qty:	

vt
SKU: 8792 3800157644273
USB TRAVEL ADAPTOR

Input Power:	AC:100-230V,50/60Hz
Body Type:	ABS
Dimension:	27x47x70mm
Input Current:	0.25A
Output Current:	2A
Rated Load	10W
Box Qty:	



vt
SKU: 8793 3800157644280
USB QC3.0 TRAVEL ADAPTOR

Input Power:	AC:100-240V,50/60Hz
Body Type:	PC
Dimension:	42x57x24mm
Input Current:	0.2A
Output Current:	
Rated Load	18W
Box Qty:	

vt
SKU: 8794 3800157644297
USB QC3.0 TRAVEL ADAPTOR

Input Power:	AC:100-240V,50/60Hz
Body Type:	PC
Dimension:	42x57x24mm
Input Current:	0.2A
Output Current:	
Rated Load	18W
Box Qty:	

Universal
Adaptor



vt
SKU: 8747 3800157642590
UNIVERSAL ADAPTOR
10A 250V~

Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	70x55x50mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

Universal
Adaptor



vt
SKU: 8704 3800157642163
UNIVERSAL ADAPTOR WITH
OVERLOAD PROTECTION WITH
2USB 2A

Input Power:	AC:110-250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95x50x40mm
Input Current:	10A
Output Current:	10A
Rated Load	2500W
Box Qty:	48 pcs

Universal
Adaptor



vt
SKU: 8705 3800157642170
UNIVERSAL ADAPTOR WITH
OVERLOAD PROTECTION

Input Power:	AC:110-250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	70x50x40mm
Input Current:	10A
Output Current:	10A
Rated Load	2500W
Box Qty:	100 pcs



ITALIAN
SOCKETS

5M
Wire

SKU: 8700 3800157642125

2 prese 2P+T 10/16A Bipasso
Con protezione termica ripristinabile

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	ABS+PC+COPPER
Dimension:	200x160x90mm
Input Current:	16A
Output Current:	16A
Rated Load:	2200W
Color:	Black
Box Qty:	10 pcs

10M
Wire

SKU: 8701 3800157642132

4 prese Bipasso/Schuko
Con protezione termica ripristinabile

Wire Length:	10M
Input Power:	AC:250V,50/60Hz
Body Type:	ABS+PC+COPPER
Dimension:	250x200x150mm
Input Current:	16A
Output Current:	16A
Rated Load:	2200W
Color:	Black
Box Qty:	6 pcs

15M
Wire

SKU: 8702 3800157642149

4 prese Bipasso/Schuko
Con protezione termica ripristinabile

Wire Length:	15M
Input Power:	AC:250V,50/60Hz
Body Type:	ABS+PC+COPPER
Dimension:	240x190x160mm
Input Current:	16A
Output Current:	16A
Rated Load:	2200W
Color:	Black
Box Qty:	6 pcs

25M
Wire

SKU: 8703 3800157642156

4 prese Bipasso/Schuko
Con protezione termica ripristinabile

Wire Length:	25M
Input Power:	AC:250V,50/60Hz
Body Type:	ABS+PC+COPPER
Dimension:	300x240x190mm
Input Current:	16A
Output Current:	16A
Rated Load:	2200W
Color:	Black
Box Qty:	4 pcs

1.5M
Wire

SKU: 8745 3800157642576

2 presa 2p+T10/16A Bipasso +
1 presa Bipasso/schuko
con protezione sovraccarico /
con 2USB

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	145x50x40mm
Input Current:	10A
Output Current:	16A
Rated Load:	3500W
Color:	
Box Qty:	White

3M
Wire

SKU: 8729 3800157642415

Prolunga lineare
spina 10A,2p+T prese 10A

Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	200x110x40mm
Input Current:	10A
Output Current:	10A
Rated Load:	2300W
Color:	White
Box Qty:	30 pcs

5M
Wire

SKU: 8730 3800157642422

Prolunga lineare
spina 10A,2p+T prese 10A

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	230x110x60mm
Input Current:	10A
Output Current:	10A
Rated Load:	2300W
Color:	White
Box Qty:	30 pcs

3M
Wire

SKU: 8731 3800157642439

Prolunga lineare
spina 16A,2p+T prese 10/16Aa

Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	200x110x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	0
Box Qty:	50 pcs

5M
Wire



SKU: 8732 3800157642446
Prolunga lineare
spina 16A,2p+T prese 10/16Aa

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	230x110x60mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	0
Box Qty:	30 pcs

1.5M
Wire



SKU: 8706 3800157642187
Multipresa, 3 pos. 10/16A prese
Bipasso
Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	115x47x22mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	50 pcs

1.5M
Wire



SKU: 8707 3800157642194
Multipresa, 4 pos. 10/16A prese
Bipasso
Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	135x47x22mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	50 pcs

1.5M
Wire



SKU: 8708 3800157642200
Multipresa, 5 pos. 10/16A prese
Bipasso
Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	155x47x22mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	40 pcs

1.5M
Wire



SKU: 8709 3800157642217
Multipresa, 6 pos. 10/16A prese
Bipasso
Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	170x47x22mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	40 pcs

1.5M
Wire



SKU: 8710 3800157642224
3 pos. con interruttore luminoso
10/16A Bipasso/schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	200x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	50 pcs

1.5M
Wire



SKU: 8711 3800157642231
4 POS.
CON INTERRUPTORE LUMINOSO
10/16A BIPASSO/SCHUKO

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	245x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	40 pcs

1.5M
Wire



SKU: 8712 3800157642248
5 pos.
con interruttore luminoso
10/16A Bipasso/schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	280x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M
Wire

SKU: 8713 3800157642255

6 pos.
con interruttore luminoso
10/16A Bipasso/schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	325x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M
Wire

SKU: 8714 3800157642262

7 pos.
con interruttore luminoso
10/16A Bipasso/schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	370x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M
Wire

SKU: 8715 3800157642279

5pos. con interruttore luminoso
10/16A Bipasso/schuko +
con 2 connessioni USB

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	335x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	0
Box Qty:	30 pcs

1.5M
Wire

SKU: 8748 3800157642606

4 pos.10/16A Bipasso/schuko
con protezione sovratensionni e
interruttori luminoso

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	160x100x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	2500W
Color:	White
Box Qty:	40 pcs

1.5M
Wire

SKU: 8749 3800157642613

6 pos.10/16A Bipasso/schuko
con protezione sovratensionni e
interruttori luminoso

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	200x100x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	2500W
Color:	White
Box Qty:	30 pcs

3M
Wire

SKU: 8733 3800157642453

2 prese 2p+t 10/16A Bipasso
1 prese Bipasso/Schuko

Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	100x47x52mm
Input Current:	16A
Output Current:	16A
Rated Load:	2500W
Color:	White
Box Qty:	50 pcs

1.5M
Wire

SKU: 8734 3800157642460

4 prese 2p+t 10/16A Bipasso
2 prese 10/16A Bipasso/Schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	150x47x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	0
Box Qty:	25 pcs

1.5M
Wire

SKU: 8735 3800157642477

6 prese 2p+t 10/16A Bipasso
3 prese 10/16A Bipasso/Schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	195x47x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	0
Box Qty:	25 pcs

1.5M
Wire



SKU: 8736 3800157642484
8 prese 2p+T10/16A Bipasso
4 prese Bipasso/Schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	240x47x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	0
Box Qty:	30 pcs

1.5M
Wire



SKU: 8737 3800157642491
4 pos. 10/16A Bipasso/Schuko
Con protezione sovratensioni e
interruttore generale luminoso e
4 interruttori indipendenti

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	225x72x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	0
Box Qty:	30 pcs


1.5M
Wire



SKU: 8738 3800157642507
5 pos. 10/16A Bipasso/Schuko
Con protezione sovratensioni e
interruttore generale luminoso e
5 interruttori indipendenti

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	260x72x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	0
Box Qty:	30 pcs

1.5M
Wire



SKU: 8739 3800157642514
6 pos. 10/16A Bipasso/Schuko
Con protezione sovratensioni e
interruttore generale luminoso e
6 interruttori indipendenti

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	305x70x35mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	0
Box Qty:	0

1.5M
Wire



SKU: 8740 3800157642521
4 pos. Con interruttore
luminoso 10/16A Bipasso
Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	160x50x30mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	
Box Qty:	White

1.5M
Wire



SKU: 8741 3800157642538
5 pos. Con interruttore
luminoso 10/16A Bipasso
Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	180x47x30mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	
Box Qty:	White

1.5M
Wire



SKU: 8742 3800157642545
6 pos. Con interruttore
luminoso 10/16A Bipasso
Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	200x50x30mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	
Box Qty:	White

SKU: 8716 3800157642286

Adattatore spina 16A
2 prese 2P+T 10/16A +
1 presa/Schuko
con interruttore



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	85x75x50mm
Input Current:	16A
Output Current:	16A
Rated Load:	1500W
Box Qty:	200 pcs

SKU: 8717 3800157642293
Spina 2p+t 10A



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	65x32x15mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8718 3800157642309
Spina 2p+t 16A



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	70x43x20mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8719 3800157642316
Spina 2p+t 10A




Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	70x40x40mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8720 3800157642323
Adattatore spina 16A
presa 2p+T 10A schuko



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	75x40x40mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8721 3800157642330
10A adattatore spina 10 A
3 prese10 A



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	60x50x48mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8722 3800157642347
Adattatore spina 16A
3 presa 10A /16A Bipasso



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	60x47x40mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8723 3800157642354
Adattatore spina 10A
2presa 10/ 10A schuko



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	75x50x40mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8724 3800157642361
Adattatore spina 16A
2presa 10/ 16A Bipasso
+ 1 Bipasso/schuko



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	75x50x40mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8725 3800157642378

Adattatore spina 10A 4 prese 10A



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95x60x45mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8726 3800157642385

Spina 2p+t 16A



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95x60x45mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8727 3800157642392

Spina 2p+t 10A



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	65x35x25mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8728 3800157642408

Prese 10A /16A Bipasso 2p+T



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	65x43x25mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8744 3800157642569

Adattatore rotante, Spina 10A 2 prese 2P+T 10/16A Bipasso+ 1 presa Bipasso/Schuko Con protezione de sovraccarico



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	80x75x48mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	60 pcs

SKU: 8746 3800157642583

Adattatore Spina 10A 4 prese 10/16A Bipasso Con protezione de sovraccarico



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95x70x70mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8743 3800157642552

Adattatore Spina 10A 2 prese 2P+T 10/16A Bipasso+ 1 presa Bipasso/Schuko Con protezione de sovraccarico



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95x50x40mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs